

International Registry of Acute Aortic Dissection (IRAD)

Manuscripts Published or In Press

Hagan PG, Nienaber CA, Isselbacher EM, Bruckman D, Karavite DJ, Russman PL, Evangelista A, Fattori R, Suzuki T, Oh JK, Moore AG, Malouf JF, Pape LA, Gaca C, Sechtem U, Lenferink S, Deutsch HJ, Diedrichs H, Robles JM, Llovet A, Gilon D, Das SK, Armstrong WF, Deeb GM, Eagle KA. The International Registry of Aortic Dissection (IRAD): New insights into an old disease. *JAMA* 2000; 283(7):897-903.

Mehta RH, Suzuki T, Hagan PG, Bossone E, Gilon D, Llovet A, Maroto LC, Cooper JV, Smith DE, Armstrong WF, Nienaber CA, Eagle KA. Predicting death in patients with acute type A aortic dissection. *Circulation* 2002; 105(2):200-206.

Januzzi JL, Sabatine MS, Eagle KA, Evangelista A, Bruckman D, Fattori R, Oh JK, Moore AG, Sechtem U, Llovet A, Gilon D, Pape L, O'Gara PT, Mehta R, Cooper JV, Hagan PG, Armstrong WF, Deeb GM, Suzuki T, Nienaber CA, Isselbacher EM. Iatrogenic aortic dissection. *Am J of Cardiology* 2002; 89(5):623-626.

Moore AG, Eagle KA, Bruckman D, Moon BS, Malouf JF, Fattori R, Evangelista A, Isselbacher EM, Suzuki T, Nienaber CA, Gilon D, Oh JK. Choice of computed tomography, transesophageal echocardiography, magnetic resonance imaging, and aortography in acute aortic dissection: International Registry of Acute Aortic Dissection (IRAD). *Am J of Cardiology* 2002; 89:1235-1238.

Bossone E, Rampoldi V, Nienaber CA, Trimarchi S, Ballotta A, Cooper JV, Smith DE, Eagle KA, Mehta RH. Usefulness of pulse deficit to predict in-hospital complications and mortality in patients with acute type A aortic dissection. *Am J of Cardiology* 2002; 89:851-855.

Nallamotheu BK, Mehta RH, Saint S, Llovet A, Bossone E, Cooper JV, Sechtem U, Isselbacher EM, Nienaber CA, Eagle KA, Evangelista A. Syncope in acute aortic dissection: diagnostic, prognostic, and clinical implications. *Am J of Medicine* 2002; 113:468-471.

Mehta RH, O'Gara PT, Bossone E, Nienaber CA, Myrmet T, Cooper JV, Smith DE, Armstrong WF, Isselbacher EM, Pape LA, Eagle KA, Gilon D. Acute type A aortic dissection in the elderly: clinical characteristics, management and outcomes in the current era. *J Am Coll Cardiol* 2002; 40:685-692.

Mehta RH, Manfredini R, Hassan F, Sechtem U, Bossone E, Oh JK, Cooper JV, Smith DE, Portaluppi F, Penn M, Hutchison S, Nienaber CA, Isselbacher EM, Eagle KA. Chronobiological patterns of acute aortic dissection. *Circulation* 2002; 106:1110-1115.

Eagle KA, Isselbacher EM, DeSanctis RW. Cocaine-related aortic dissection in perspective. *Circulation* 2002; 105:1529-1530.

Nienaber CA, Eagle KA. Aortic dissection: new frontiers in diagnosis and management. Part I: from etiology to diagnostic strategies. *Circulation* 2003; 108:628-635.

Nienaber CA, Eagle KA. Aortic dissection: new frontiers in diagnosis and management. Part II: therapeutic management and follow-up. *Circulation* 2003; 108:772-778.

Suzuki T, Mehta RH, Ince H, Nagai R, Sakomura Y, Weber F, Sumiyoshi T, Bossone E, Trimarchi S, Cooper JV, Smith DE, Isselbacher EM, Eagle KA, Nienaber CA. Clinical profiles and outcomes of acute type B aortic dissection— lessons from the International Registry of Aortic Dissection (IRAD). *Circulation* 2003; 108[suppl II]:312-317.

Januzzi JL, Isselbacher EM, Fattori R, Cooper JV, Smith DE, Fang J, Eagle KA, Mehta RH, Nienaber CA, Pape LA. Characterizing the young patient with aortic dissection: results from the International Registry of Aortic Dissection (IRAD). *J Am Coll Cardiol* 2004; 43:665-669.

Mehta RH, Bossone E, Evangelista A, O'Gara PT, Smith DE, Cooper JV, Oh JK, Januzzi JL, Hutchison S, Gilon D, Pape LA, Nienaber CA, Isselbacher EM, Eagle KA. Acute type B aortic dissection in elderly patients: clinical features, outcomes and simple risk stratification rule. *Ann Thorac Surg* 2004; 77:1622-29.

Nienaber CA, Fattori R, Mehta RH, Richartz BM, Evangelista A, Petzch M, Cooper JV, Januzzi JL, Ince H, Sechtem U, Bossone E, Fang J, Smith DE, Isselbacher EM, Pape LA, Eagle KA. Gender-related differences in acute aortic dissection. *Circulation* 2004; 109:3014-3019.

Januzzi JL, Al-Marayati F, Mehta RH, Cooper JV, O'Gara PT, Sechtem U, Bossone E, Evangelista A, Oh JK, Nienaber CA, Eagle KA, Isselbacher EM. Comparison of aortic dissection in patients with and without marfan's syndrome (results from the International Registry of Aortic Dissection). *Am J of Cardiol* 2004; 94:400-402.

Park SW, Hutchison S, Mehta, RH, Isselbacher EM, Cooper JV, Fang J, Evangelista A, Llovet A, Nienaber CA, Suzuki T, Pape LA, Eagle KA, Oh JK. Association of painless acute aortic dissection with increased mortality. *Mayo Clin Proc* 2004; 79:1252-1257.

Collins JS, Evangelista A, Nienaber CA, Bossone E, Fang J, Cooper JV, Smith DE, O'Gara PT, Myrmel T, Gilon D, Isselbacher EM, Penn M, Pape LA, Eagle KA, Mehta RH. Differences in clinical presentation, management and outcomes of acute type A aortic dissection in patients with and without prior cardiac surgery. *Circulation* 2004; 110[suppl II]:237-242.

Beckman JA, Mehta RH, Isselbacher EM, Bossone E, Cooper JV, Smith DE, Fang J, Sechtem U, Pape LA, Myrmel T, Nienaber CA, Eagle KA, O'Gara PT. Mortality and branch vessel complications are increased in aortic dissection patients with renal insufficiency. *Vasc Med* 2004; 9(4):267-270.

Trimarchi S, Nienaber CA, Rampoldi V, Myrmel T, Suzuki T, Mehta RH, Bossone E, Cooper JV, Smith DE, Menicanti L, Frigiola A, Oh JK, Deeb GM, Isselbacher EM, Eagle KA. Contemporary results of surgery in acute type A aortic dissection: the International Registry of Acute Aortic Dissection experience. *J Thorac Cardiovasc Surg* 2005; 129:112-122.

Tsai TT, Bossone E, Isselbacher EM, Nienaber CA, Evangelista A, Fang J, Smith DE, Cooper JV, Hutchison S, O'Gara P, Eagle KA, Mehta RH. Clinical characteristics of hypotension in patients with acute aortic dissection. *Am J Cardiol* 2005; 95:48-52.

Evangelista A, Mukherjee D, Mehta RH, O'Gara PT, Fattori R, Cooper JV, Smith DE, Oh JK, Hutchison S, Sechtem U, Isselbacher EM, Nienaber CA, Pape LA, Eagle KA. Acute intramural hematoma of the aorta: a mystery in evolution. *Circulation* 2005; 111:1063-1070.

Upchurch GR, Nienaber CA, Fattori R, Evangelista A, Oh JK, MD, Cooper JV, Isselbacher EM, Suzuki T, Eagle KA. Acute aortic dissection presenting with primarily abdominal pain: a rare manifestation of a deadly disease. *Ann Vasc Surg* 2005; 19:367-373.

Mehta RH, Manfredini R, Bossone E, Hutchison S, Evangelista A, Boari B, Cooper JV, Smith DE, O'Gara PT, Gilon D, Pape LA, Nienaber CA, Isselbacher EM, Eagle KA. Does circadian and seasonal variation in occurrence of acute aortic dissection influence in-hospital outcomes? *Chronobiology International* 2005; 22:343-351.

Mehta RH, Manfredini R, Bossone E, Fattori R, Evangelista A, Boari B, Cooper JV, Sechtem U, Isselbacher EM, Nienaber CA, Eagle KA. The winter peak in the occurrence of acute aortic dissection is independent of climate. *Chronobiology International* 2005; 22:723-729.

Januzzi JL, Eagle KA, Cooper JV, Fang J, Sechtem U, Myrmel T, Evangelista A, Oh JK, Llovet A, O'Gara PT, Nienaber CA, Isselbacher EM. Acute aortic dissection presenting with congestive heart failure: results from the International Registry of Acute Aortic Dissection. *J Am Coll Cardiol* 2005; 46:733-735.

Mukherjee D, Evangelista A, Nienaber CA, Sechtem U, Suzuki T, Trimarchi S, Llovet A, Myrmel T, O'Gara PT, Fang J, Cooper JV, Oh JK, Januzzi JL, Hutchison S, Fattori R, Pape LA, Isselbacher EM, Eagle KA. Implications of periaortic hematoma in patients with acute aortic dissection: (from the International Registry of Acute Aortic Dissection). *Am J Cardiol* 2005; 96:1734-1738.

Tsai TT, Nienaber CA, Eagle KA. Contemporary reviews in cardiovascular medicine: acute aortic syndromes. *Circulation* 2005; 112:3802-3813.

Trimarchi S, Nienaber CA, Rampoldi V, Myrmel T, Suzuki T, Bossone E, Tolva V, Deeb MG, Upchurch GR, Cooper JV, Fang J, Isselbacher EM, Sundt T, Eagle KA. Role and results of surgery in acute type B aortic dissection: insights from the International Registry of Acute Aortic Dissection (IRAD). *Circulation* 2006; 114:357-364.

Henke PK, Williams DM, Upchurch GR, Proctor M, Cooper JV, Fang J, Nienaber CA, Isselbacher EM, Fattori R, Dasika N, Gemmete J, Stanley JC, Wakefield TW, Eagle KA. Acute limb ischemia associated with type B aortic dissection: clinical relevance and therapy. *Surgery* 2006; 140:532-539.

Tsai TT, Evangelista A, Nienaber CA, Trimarchi S, Sechtem U, Fattori R, Myrmel T, Pape L, Cooper JV, Smith DE, Fang J, Isselbacher E, Eagle KA. Long-term survival in patients presenting with type A acute aortic dissection: insights from the International Registry of Acute Aortic Dissection (IRAD). *Circulation* 2006; 114[suppl I]:350-356.

Tsai TT, Fattori R, Trimarchi S, Isselbacher E, Myrmel T, Evangelista A, Hutchison S, Sechtem U, Cooper JV, Smith DE, Pape L, Froehlich J, Raghupathy A, Januzzi JL, Eagle KA, Nienaber CA. Long-term survival in patients presenting with type B acute aortic dissection: insights from the International Registry of Acute Aortic Dissection (IRAD). *Circulation* 2006; 114:2226-2231.

Rampoldi V, Trimarchi S, Eagle KA, Nienaber CA, Oh JK, Bossone E, Myrmel T, Sangiorgi GM, De Vincentiis C, Cooper JV, Fang J, Smith D, Tsai T, Raghupathy A, Fattori R, Sechtem U, Sundt TM, Isselbacher EM. Simple risk models to predict surgical mortality in acute aortic dissection: the International Registry of Acute Aortic Dissection score. *Ann Thorac Surg* 2007; 83:55-61.

Tsai TT, Isselbacher EM, Trimarchi S, Bossone E, Pape L, Januzzi JL, Evangelista A, Oh JK, Llovet A, Beckman J, Cooper JV, Smith DE, Froehlich JB, Fattori R, Eagle KA, Nienaber CA. Acute type B aortic dissection: does aortic arch involvement affect management and outcomes? Insights from the International Registry of Acute Aortic Dissection (IRAD). *Circulation* 2007; 116[suppl I]:150-156.

Bossone E, Evangelista A, Isselbacher E, Trimarchi S, Hutchison S, Gilon D, Llovet A, O'Gara P, Cooper JV, Fang J, Januzzi JL, Mehta RH, Distant A, Nienaber CA, Eagle KA, Armstrong WF. Prognostic role of transesophageal echocardiography in acute type A aortic dissection. *Am Heart J* 2007; 153:1013-1020.

Tsai TT, Evangelista A, Nienaber CA, Myrmel T, Meinhardt G, Cooper JV, Smith DE, Suzuki T, Fattori R, Llovet A, Froehlich J, Hutchison S, Distant A, Sundt T, Beckman J, Januzzi J, Isselbacher EM, Eagle KA. Partial thrombosis of the false lumen in patients with acute type B aortic dissection. *N Engl J Med* 2007; 357:349-359.

Pape LA, Tsai TT, Isselbacher EM, Oh JK, O’Gara PT, Evangelista A, Fattori R, Meinhardt G, Trimarchi S, Bossone E, Suzuki T, Cooper JV, Froehlich JB, Nienaber CA, Eagle KA. Aortic diameter ≥ 5.5 cm is not a good predictor of type A aortic dissection: observations from the International Registry of Acute Aortic Dissection (IRAD). *Circulation* 2007; 116:1120-1127.

Trimarchi S, Tsai T, Eagle KA, Isselbacher EM, Froehlich J, Cooper JV, Rampoldi V, Upchurch GR. Acute abdominal aortic dissection: insight from the International Registry of Acute Aortic Dissection (IRAD). *J Vasc Surg* 2007; 46:913-919.

Fattori R, Tsai TT, Myrmel T, Evangelista A, Cooper JV, Trimarchi S, Li J, Lovato L, Kische S, Eagle KA, Li J, Isselbacher EM, Nienaber CA. Complicated acute type B dissection: is surgery still the best option?: a report from the International Registry of Acute Aortic Dissection. *J Am Coll Cardiol Intv* 2008; 1:395-402.

Raghupathy A, Nienaber CA, Harris KM, Myrmel T, Fattori R, Sechtem U, Oh JK, Trimarchi S, Cooper JV, Booher A, Eagle KA, Isselbacher EM, Bossone E. Geographic differences in clinical presentation, treatment, and outcomes in type A acute aortic dissection (from the International Registry of Acute Aortic Dissection). *Am J Cardiol* 2008; 102:1562-1566.

Suzuki T, Distanto A, Zizza A, Trimarchi S, Villani M, Uriarte JAS, Schinosa LLT, Renzulli A, Sabino F, Nowak R, Birkhahn R, Hollander JE, Counselman F, Bossone E, Eagle K. Preliminary experience with the smooth muscle troponin-like protein, calponin, as a novel biomarker for diagnosing acute aortic dissection. *European Heart Journal* 2008.

Tsai TT, Trimarchi S, Nienaber CA. Acute aortic dissection: perspectives from the International Registry of Acute Aortic Dissection (IRAD). *Eur J V Endovasc Surg* 2009; 37:149-159.

Gilon D, Mehta RH, Oh JK, Januzzi JL, Bossone E, Cooper JV, Smith DE, Fang J, Nienaber CA, Eagle KA, Isselbacher EM. Characteristics and in-hospital outcomes of patients with cardiac tamponade complicating type A acute aortic dissection. *Am J Cardiol* 2009; 103(7):1029-31.

Manuscripts In Preparation

Froehlich J, Ramanath VS, Nienaber CA, Smith DE, Cooper JV, Isselbacher EM, Eagle KA. New classification of aortic dissection with improved impact on prognosis – the IRAD classification.

Tsai TT, Nienaber CA, Isselbacher EM, Trimarchi S, Bossone E, Evangelista A, O’Gara PT, Suzuki T, Hutchison S, Cooper JV, Smith DE, Meinhardt G, Myrmel T, Eagle KA, Froehlich JB. Acute type A aortic dissection: does a primary tear in the aortic arch affect management and outcomes? Insights from the International Registry of Acute Aortic Dissection (IRAD).

Trimarchi S, Nienaber CA, Eagle KA, Rampoldi V, Tsai T, Froehlich J, Evangelista A, Cooper JV, Li J, Meinhardt G, Sundt III T, Bossone E, Isselbacher EM. Role of age in acute type A aortic dissection outcome: Report from The International Registry of Acute Aortic Dissection (IRAD).

Genther D, Isselbacher E, Grzybowski M, Cooper JV, Eagle K, Tsai T, Bossone E, Harris KM, Evangelista A, Fattori R, Ramanath V, Nienaber CA, Froehlich J. Gender and race predict aortic size among type A aortic dissection patients: observations from the International Registry of Acute Aortic Dissection (IRAD).

Shiran H, Nienaber C, Isselbacher E, Tsai T, Meinhardt G, Cooper JV, Grzybowski M, Pyeritz R, Braverman A, Suzuki T, Eagle K, Froehlich JB. Effect of low suspicion presentation of type A acute aortic dissection on care and outcomes: data from the International Registry of Acute Aortic Dissection (IRAD).

Shiran H, Isselbacher E, Nienaber C, Eagle K, Tsai T, Fattori R, Beckman J, O'Gara P, Pape L, Cooper JV, Grzybowski M, Ehrlich M, Froehlich J. Low suspicion presentation of type B acute aortic dissection leads to increased mortality: data from the International Registry of Acute Aortic Dissection (IRAD).

Harris KM, Hirsch AT, Isselbacher EM, Tsai T, Froehlich J, Cooper JV, Fattori R, Strauss C, Evangelista A, Eagle K, Llovet A, Nienaber CA. Gender, clinical, and diagnostic contributors to delayed recognition and treatment of acute aortic dissection: the International Registry of Acute Aortic Dissection (IRAD).

Ramanath VS, Eagle KA, Nienaber CA, Isselbacher EI, Froehlich JB, Cooper JV, Gu X, Evangelista A, Meinhardt G, Beckman J, Myrmel T, Pape LA, Pyeritz RE, Hirsch AT, Bossone E. Role of preoperative coronary angiography in the setting of type A acute aortic dissection: the IRAD experience.

Suzuki T, Isselbacher E, Nienaber CA, Tsai TT, Fattori R, Evangelista A, Braverman AC, Eagle KA, Cooper JV, Ramanath VS, Sechtem U, Hutchison S, Froehlich J. Current medical management at discharge and effect on outcome in type A and B aortic dissection: from the International Registry of Acute Aortic Dissection (IRAD).

Tsai TT, Cooper JV, Woznicki EM, Nienaber CA, Isselbacher CA, Trimarchi S, Booher AM, Evangelista A, Bossone E, Meinhardt G, Fattori R, Pyeritz RE, Eagle KA, Froehlich JB. Trends in management and outcomes of acute aortic dissection: lessons learned from the first 2242 patients enrolled in the International Registry of Acute Aortic Dissection (IRAD).

Isselbacher E, Nienaber CA, Trimarchi S, Evangelista A, Cooper JV, Froehlich JB, Erlich M, Oh J, Januzzi JL, O'Gara P, Sundt T, Harris KM, Bossone E, Pyeritz RE, Eagle KA. The IRAD classification system- a modern method for characterizing mortality risk of aortic dissection based on time from symptom onset, dissection location, and treatment rendered

Trimarchi S, Hutchison S, Isselbacher E, Pape L, Cooper JV, Froehlich JB, Evangelista A, Meinhardt G, Beckman J, Myrmel T, Eagle KA, Pyeritz RE, Hirsch AT, Nienaber CA. Descending aortic diameter of ≥ 6.0 is a poor predictor of type B aortic dissection.